

acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0 Date of compilation: 2015-12-10 Replaces version of: 2015-08-06 (GHS 3)

SECTION 1: Identification

1.1 Product identifier

Trade name Detail King Wonder Lube

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses multi-purpose polish

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States

Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com

Website: bbblending.com

Competent person responsible for the SDS

e-mail (competent person) bblahnik@bbblending.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency telephone number.

Robert Blahnik

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not required

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0 Replaces version of: 2015-08-06 (GHS 3) Date of compilation: 2015-12-10

SECTION 4: First-aid measures

4.1 Description of firs- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0
Replaces version of: 2015-08-06 (GHS 3)
Date of compilation: 2015-12-10

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0 Date of compilation: 2015-12-10 Replaces version of: 2015-08-06 (GHS 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
US	acetone	67-64-1	PEL	1,000	2,400			29 CFR OSHA

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless other-

wise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted av-

erage.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0
Replaces version of: 2015-08-06 (GHS 3)
Date of compilation: 2015-12-10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid Color yellow Odor fruity

Other physical and chemical parameters

pH (value)

7 - 8 (25 °C)

Melting point/freezing point

Initial boiling point and boiling range

Flash point

not determined
(closed cup)

 $\begin{array}{lll} \text{Evaporation rate} & \text{not determined} \\ \text{Flammability (solid, gas)} & \text{not relevant (fluid)} \\ \text{Explosive limits} & \text{not determined} \\ \text{Vapor pressure} & 31.69 \text{ hPa at } 25 \text{ °C} \\ \text{Density} & 0.99 - 1.01 \text{ } ^{9}\!\!/_{\text{cm}^3} \end{array}$

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not determined Viscosity not determined

Explosive properties none
Oxidizing properties none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0 Replaces version of: 2015-08-06 (GHS 3) Date of compilation: 2015-12-10

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not relevant

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

• National Toxicology Program (United States):

none of the ingredients are listed

IARC Monographs

none of the ingredients are listed

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0
Replaces version of: 2015-08-06 (GHS 3)
Date of compilation: 2015-12-10

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	(not subject to transport regulations)
----------------	--

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es)
Class

14.4 Packing group not relevant

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regu-

lations)



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0 Date of compilation: 2015-12-10 Replaces version of: 2015-08-06 (GHS 3)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

SARA TITLE III (Superfund Amendment and Reauthorization Act)

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section none of the ingredients are listed 302 and 304)

Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313) none of

none of the ingredients are listed

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category Rating		Description		
Chronic *		Chronic (long-term) health effects may result from repeated overexposure.		
Health	0	No significant risk to health.		
Flammability 0		Material that will not burn under typical fire conditions.		
Physical hazard 0		Material that is normally stable, even under fire conditions, and will not react with water, polymerize decompose, condense, or self-react. Non-explosive.		
Personal protective equipment	-			

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

Category	Degree of hazard	Description		
Flammability	1	Material that must be preheated before ignition can occur.		
Health 0		Material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material.		
Instability 0		Material that is normally stable, even under fire conditions.		
Special hazard				

Proposition 65 List of chemicals

none of the ingredients are listed



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0
Replaces version of: 2015-08-06 (GHS 3)
Date of compilation: 2015-12-10

SECTION 16: Other information, including date of preparation or last revision

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.1	Trade name: Kleen and Sheen	Trade name: Detail King Wonder Lube	yes
15.1		Toxic Substance Control Act (TSCA): all ingredients are listed or exempt from listing	yes

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
29 CFR OSHA	29 CFR §1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
CMR	Carcinogenic, Mutagenic or toxic for Reproduction		
DMEL	Derived Minimal Effect Level		
DNEL	Derived No-Effect Level		
IARC Mono- graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans		
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)		
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)		
NPCA-HMIS®	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition		
OSHA	Occupational Safety and Health Administration (United States)		
PBT	Persistent, Bioaccumulative and Toxic		
PEL	permissible exposure limit		
PNEC	Predicted No-Effect Concentration		
ppm	parts per million		
STEL	short-term exposure limit		
TWA	time-weighted average		
vPvB	very Persistent and very Bioaccumulative		

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



acc. to OSHA, Appendix D to § 1910.1200

Detail King Wonder Lube

Version number: GHS 4.0
Replaces version of: 2015-08-06 (GHS 3)
Date of compilation: 2015-12-10

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

16.7 Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.