

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

SECTION 1: Identification

1.1 Product identifier

Trade name **Detail King Non-Silicone**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Tire/rubber dressing

1.3 Details of the supplier of the safety data sheet

Detail King
947-A Old Frankstown Rd
Pittsburgh, PA 15239

nvacco@detailking.com
888-314-0847

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	CAS No 55965-84-9	< 0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1000
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1000

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
i	inhalable fraction
mist	as mists
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	light green
Odor	citrus

Other safety parameters

pH (value)	5 – 6 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	not determined closed cup
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	2.7 vol%
- Upper explosion limit (UEL)	19 vol%

Vapor pressure	31.69 hPa at 25 °C
Density	1.002 g/ml
Vapor density	this information is not available
Relative density	0.99 at 25 °C (water = 1)
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Auto-ignition temperature	370 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	oral	100 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	dermal	300 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	inhalation: vapor	3 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

SECTION 14: Transport information

- | | |
|--|---|
| 14.1 UN number | Not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not relevant |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
none of the ingredients are listed
 - Specific Toxic Chemical Listings (EPCRA Section 313)
none of the ingredients are listed
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**
- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)
none of the ingredients are listed
- Clean Air Act
none of the ingredients are listed
- 15.1.5 California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987**
- 0.6
none of the ingredients are listed
- Industry or sector specific available guidance(s)**
- NPCA-HMIS® III**
- Hazardous Materials Identification System. American Coatings Association.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com Website: bbblending.com	Details of the supplier of the safety data sheet: Detail King 947-A Old Frankstown Rd Pittsburgh, PA 15239 nvacco@detailking.com 888-314-0847	yes
1.3	Competent person responsible for the SDS: Robert Blahnik		yes
1.3	e-mail (competent person): bblahnik@bbblending.com		yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.4	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number	yes
2.1	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)	yes
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2	Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): not required	Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)	yes
2.2		- Signal word: warning	yes
2.2		- Pictograms	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2		- Hazardous ingredients for labelling: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following inhalation: Provide fresh air.	Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.	yes
4.1	Following skin contact: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.	Following skin contact: Wash with plenty of soap and water.	yes
4.1	Following eye contact: Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.	yes
4.2		Most important symptoms and effects, both acute and delayed: Symptoms and effects are not known to date.	yes
4.3		Indication of any immediate medical attention and special treatment needed: none	yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
5.2	Hazardous combustion products: nitrogen oxides (NOx)	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	yes
6.4	Reference to other sections: Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.	Reference to other sections: Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.	yes
7.2	Managing of associated risks		yes
7.2	Incompatible substances or mixtures: Observe compatible storage of chemicals.		yes
7.2	Consideration of other advice		yes
7.2	Packaging compatibilities: Only packagings which are approved (e.g. acc. to DOT) may be used.		yes
8.1	National limit values		yes
8.1	Occupational exposure limit values (Workplace Exposure Limits)		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1	Relevant DNELs/DMELs/PNECs and other threshold levels: No data available.		yes
9.1	Odor: citrus		yes
9.1		Odor: citrus	yes
9.1	Initial boiling point and boiling range: 100 °C at 1 atm	Initial boiling point and boiling range: >65 °C at 1 atm	yes
9.1	Density: not determined	Density: 1.002 g/ml	yes
9.1		Vapor density: this information is not available	yes
9.1		Temperature class (USA, acc. to NEC 500): T2 (maximum permissible surface temperature on the equipment: 300 °C)	yes
10.4	Physical stresses which might result in a hazardous situation and have to be avoided: strong shocks		yes
10.5	Incompatible materials: There is no additional information.	Incompatible materials: Oxidizers	yes
11.1	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): not relevant	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)	yes
11.1	Acute toxicity of components of the mixture		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Respiratory or skin sensitization: Shall not be classified as a respiratory or skin sensitizer.	Respiratory or skin sensitization: May cause an allergic skin reaction.	yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
11.1	Summary of evaluation of the CMR properties: Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.		yes
11.1	Carcinogenicity		yes
11.1	• National Toxicology Program (United States): none of the ingredients are listed		yes
11.1		• National Toxicology Program (United States):: change in the listing (table)	yes
11.1	• IARC Monographs: none of the ingredients are listed		yes
11.1		• IARC Monographs: change in the listing (table)	yes
11.1	Specific target organ toxicity (STOT): Shall not be classified as a specific target organ toxicant.		yes
11.1		Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1		Carcinogenicity: Shall not be classified as carcinogenic.	yes
11.1		Reproductive toxicity: Shall not be classified as a reproductive toxicant.	yes
11.1		Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure).	yes
11.1		Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ toxicant (repeated exposure).	yes
12.1	Aquatic toxicity (acute): Shall not be classified as hazardous to the aquatic environment.		yes
12.1	Aquatic toxicity (acute) of components of the mixture		yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1	Aquatic toxicity (chronic)		yes
12.1	Aquatic toxicity (chronic) of components of the mixture		yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2	Degradability of components of the mixture		yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3	Bioaccumulative potential of components of the mixture		yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.6	Other adverse effects: Data are not available.	Other adverse effects	yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
12.6		Endocrine disrupting potential: None of the ingredients are listed.	yes
14.1	UN number	UN number: Not subject to transport regulations	yes
14.3	Transport hazard class(es)	Transport hazard class(es): none	yes
14.3	Class: -		yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: non-environmentally hazardous acc. to the dangerous goods regulations	yes
14.7		Information for each of the UN Model Regulations	yes
14.7		Transport of dangerous goods by road or rail (49 CFR US DOT): Not subject to transport regulations.	yes
14.7		International Maritime Dangerous Goods Code (IMDG): Not subject to IMDG.	yes
14.7		International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes
15.1	National regulations (United States)		yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed or exempt from listing		yes
15.1	SARA TITLE III (Superfund Amendment and Reauthorization Act)		yes
15.1	List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304): none of the ingredients are listed		yes
15.1		List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304): change in the listing (table)	yes
15.1	Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313): none of the ingredients are listed		yes
15.1		Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313): change in the listing (table)	yes
15.1	Industry or sector specific available guidance(s)		yes
15.1	NPCA-HMIS® III: Hazardous Materials Identification System (American Coatings Association)		yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1	NFPA® 704: National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)		yes
15.1		NFPA® 704: change in the listing (table)	yes
15.1	Right to Know Hazardous Substance List		yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Right to Know Hazardous Substance List: change in the listing (table)	yes
15.1	Proposition 65 List of chemicals: none of the ingredients are listed		yes
15.1		Proposition 65 List of chemicals: change in the listing (table)	yes
15.1		National regulations (United States)	yes
15.1		Superfund Amendment and Reauthorization Act (SARA TITLE III)	yes
15.1		The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Sec- tion 302, 304): none of the ingredients are listed	yes
15.1		Specific Toxic Chemical Listings (EPCRA Section 313): none of the ingredients are listed	yes
15.1		Comprehensive Environmental Response, Com- pensation, and Liability Act (CERCLA)	yes
15.1		List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4): none of the ingredients are listed	yes
15.1		Clean Air Act: none of the ingredients are listed	yes
15.1.50.6		California Environmental Protection Agency (Cal/ EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987: none of the ingredients are listed	yes
15.1.50.6		Industry or sector specific available guidance(s)	yes
15.1.50.6		NPCA-HMIS® III: Hazardous Materials Identification System. Americ- an Coatings Association.	yes
15.1.50.6		NPCA-HMIS® III: change in the listing (table)	yes
15.1.50.6		NFPA® 704: National Fire Protection Association: Standard Sys- tem for the Identification of the Hazards of Materials for Emergency Response (United States).	yes
15.1.50.6		NFPA® 704: change in the listing (table)	yes
15.1.50.6		National inventories	yes
15.1.50.6		National inventories: change in the listing (table)	yes
15.2		Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out.	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
16	Key literature references and sources for data: - OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 - 49 CFR § 172.101 Hazardous Materials Table (DOT)	Key literature references and sources for data: OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200. Transport of dangerous goods by road or rail (49 CFR US DOT). International Mari- time Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Non-Silicone

Version number: GHS 4.0
Replaces version of: 2015-12-10 (GHS 3)

Revision: 2018-10-09

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.