

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

SECTION 1: Identification

1.1 Product identifier

Trade name **Detail King Magic Cleaner**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses All-purpose cleaner
Concentrate

1.3 Details of the supplier of the safety data sheet

Detail King
947-A Old Frankstown Rd
Pittsburgh, PA 15239 nvacco@detailking.com
888-314-0847

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|-----------------------------------|----------|---------------------------|------------------|
| A.2 | skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| A.3 | serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word **danger**

- Pictograms

GHS05



- Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P362 Take off contaminated clothing and wash it before reuse.

- Hazardous ingredients for labelling

Alcohols, C9-11 ethoxylated, N,N-Diethoxylated-N-coco-N-methylammonium chloride, sodium metasilicate, anhydrous, disodium cocoamphodipropionate

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

2.3 Other hazards

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS |
|----------------------------------------------------|----------------------|-----------|--------------------------------------------------------------------------------------------------------------|
| 1-butoxypropan-2-ol | CAS No 5131-66-8 | 3 - < 12 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227 |
| N,N-Diethoxylated-N-coco-N-methylammonium chloride | CAS No 61791-10-4 | 1 - < 3 | Eye Dam. 1 / H318 |
| Alcohols, C9-11 ethoxylated | CAS No 68439-46-3 | 1 - < 3 | Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318 |
| sodium metasilicate, anhydrous | CAS No 6834-92-0 | 1 - < 3 | Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 |
| disodium cocoamphodipropionate | CAS No 68604-71-7 | 1 - < 3 | Eye Dam. 1 / H318 Flam. Liq. 4 / H227 |
| methanol | CAS No 67-56-1 | 0.1 - < 1 | Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225 |

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as
frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|----------------------------------------------------------------|---------------------------|----------|------------|------------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| US | triethanolamine | 102-71-6 | PEL (CA) | | 5 | | | | | | Cal/OSHA PEL |
| US | triethanolamine | 102-71-6 | TLV® | | 5 | | | | | | ACGIH® 2019 |
| US | methanol | 67-56-1 | TLV® | 200 | | 250 | | | | H | ACGIH® 2019 |
| US | methyl alcohol | 67-56-1 | REL | 200 (10 h) | 260 (10 h) | 250 | 325 | | | | NIOSH REL |
| US | methyl alcohol | 67-56-1 | PEL | 200 | 260 | | | | | | 29 CFR 1910.1000 |
| US | methyl alcohol (methanol) | 67-56-1 | PEL (CA) | 200 | 260 | 250 | 325 | 1,000 | | | Cal/OSHA PEL |

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

Notation

| | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H | absorbed through the skin |
| STEL | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

| Biological limit values | | | | | | |
|-------------------------|---------------|-----------|----------|------------|---------|-------------|
| Country | Name of agent | Parameter | Notation | Identifier | Value | Source |
| US | methanol | methanol | | BEI® | 15 mg/l | ACGIH® 2019 |

| Relevant DNELs of components of the mixture | | | | | | |
|---------------------------------------------|------------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| 1-butoxypropan-2-ol | 5131-66-8 | DNEL | 44 mg/kg | human, dermal | worker (industry) | chronic - systemic effects |
| 1-butoxypropan-2-ol | 5131-66-8 | DNEL | 270 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | DNEL | 2,080 mg/kg | human, dermal | worker (industry) | chronic - systemic effects |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | DNEL | 294 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| sodium metasilicate, anhydrous | 6834-92-0 | DNEL | 6.2 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| sodium metasilicate, anhydrous | 6834-92-0 | DNEL | 1.5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

| Relevant PNECs of components of the mixture | | | | | | |
|---------------------------------------------|-----------|-----------|-----------------|-------------------|---------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.53 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.053 mg/l | aquatic organisms | marine water | short-term (single instance) |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Relevant PNECs of components of the mixture | | | | | | |
|---------------------------------------------|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 10 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 2.4 mg/kg | benthic organisms | sediment | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.16 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 5.3 mg/l | aquatic organisms | water | intermittent release |
| 1-butoxypropan-2-ol | 5131-66-8 | PNEC | 0.24 mg/kg | pelagic organisms | sediment | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 0.1 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 0.1 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 1.4 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 14 mg/kg | benthic organisms | sediment | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 14 mg/kg | pelagic organisms | sediment | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 1 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | PNEC | 0.014 mg/l | aquatic organisms | water | intermittent release |
| methanol | 67-56-1 | PNEC | 100 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 77 mg/kg | benthic organisms | sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 7.7 mg/kg | pelagic organisms | sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 1,540 mg/l | aquatic organisms | water | intermittent release |
| methanol | 67-56-1 | PNEC | 21 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 2.1 mg/l | aquatic organisms | marine water | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 77 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 7.7 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 100 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|-----------------------|
| Physical state | liquid |
| Color | yellow |
| Particle | not relevant (liquid) |
| Odor | fresh |

Other safety parameters

| | |
|-----------------------------------------|-------------------------------------|
| pH (value) | 13 – 13 (25 °C) (base) |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 90 °C |
| Flash point | >100 °C at 961 mbar closed cup |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Vapor pressure | 32 hPa at 25 °C |
| Density | 1.1 g/cm ³ 8.7 lbs/USGal |
| Vapor density | this information is not available |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

Solubility(ies)

| | |
|--------------------|----------------------------|
| - Water solubility | miscible in any proportion |
|--------------------|----------------------------|

Partition coefficient

| | |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|

| | |
|---------------------------|--------|
| Auto-ignition temperature | 260 °C |
|---------------------------|--------|

| | |
|-----------|----------------|
| Viscosity | not determined |
|-----------|----------------|

| | |
|----------------------|------|
| Explosive properties | none |
|----------------------|------|

| | |
|----------------------|------|
| Oxidizing properties | none |
|----------------------|------|

| | |
|------------------------------------------|------------------------------------------------------------------------|
| Temperature class (USA, acc. to NEC 500) | T2C (maximum permissible surface temperature on the equipment: 230 °C) |
|------------------------------------------|------------------------------------------------------------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|------------------------------------------------------------|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | oral | 1,200 mg/kg |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | dermal | 2,000 mg/kg |
| sodium metasilicate, anhydrous | 6834-92-0 | oral | 1,349 mg/kg |
| sodium metasilicate, anhydrous | 6834-92-0 | inhalation: vapor | >2.1 mg/l/4h |
| sodium metasilicate, anhydrous | 6834-92-0 | inhalation: dust/mist | 0.5 mg/l/4h |
| methanol | 67-56-1 | oral | 100 mg/kg |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|-------------------------------------------------------|------------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| 1-butoxypropan-2-ol | 5131-66-8 | EC50 | >1,000 mg/l | aquatic invertebrates | 48 h |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | LC50 | 8.5 mg/l | fathead minnow | 96 h |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | EC50 | 5.3 mg/l | daphnia magna | 48 h |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | ErC50 | 1 – 10 mg/l | algae | 96 h |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|--------------------------------|------------|----------|----------------|-----------------------|---------------|
| sodium metasilicate, anhydrous | 6834-92-0 | LC50 | 310 mg/l | fish | 96 h |
| sodium metasilicate, anhydrous | 6834-92-0 | EC50 | 1,700 mg/l | aquatic invertebrates | 48 h |
| disodium cocoamphodipropionate | 68604-71-7 | LC50 | 1 – 100 mg/l | fish | 72 h |
| disodium cocoamphodipropionate | 68604-71-7 | EC50 | 0.55 – 48 mg/l | algae | 72 h |
| disodium cocoamphodipropionate | 68604-71-7 | EC50 | 6.5 mg/l | daphnia | 48 h |
| methanol | 67-56-1 | LC50 | 15,400 mg/l | fish | 96 h |
| methanol | 67-56-1 | EC50 | 12,700 mg/l | fish | 96 h |
| methanol | 67-56-1 | ErC50 | 22,000 mg/l | algae | 96 h |

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|--------------------------------|-----------|----------|-------------|----------------|---------------|
| 1-butoxypropan-2-ol | 5131-66-8 | EC50 | >1,000 mg/l | microorganisms | 3 h |
| sodium metasilicate, anhydrous | 6834-92-0 | EC50 | >100 mg/l | microorganisms | 3 h |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | | |
|------|---------------------------------------------------------------------------|-----------------------------------------------------------------------|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not relevant |
| 14.3 | Transport hazard class(es) | not assigned |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings | | | |
|------------------------------------------------------------|---------|---------|----------------|
| Name of substance | CAS No | Remarks | Effective date |
| methanol | 67-56-1 | | 1986-12-31 |

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|---------|---------|----------------|----------------------|
| methanol | 67-56-1 | | 3 4 | 5000 (2270) |

Legend

3 "3" indicates that the source is section 112 of the Clean Air Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|----------------------------------------------------|--------------------------|----------------------------|------------------------------------------------------------------------|
| water | 7732-18-5 | solvent | |
| 1-butoxypropan-2-ol | 5131-66-8 | co-solvent | |
| sodium tripolyphosphate | 7758-29-4 | water softener | |
| triethanolamine | 102-71-6 | pH adjusting agent | |
| N,N-Diethoxylated-N-coco-N-methylammonium chloride | 61791-10-4 | surfactant | |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | surfactant | |
| sodium metasilicate, anhydrous | 6834-92-0 | cleaning agent | |
| disodium cocoamphodipropionate | 68604-71-7 | surfactant | |
| EDTA, anhydrous | 64-02-8 | chelate / sequestrant | |
| methanol | 67-56-1 | alcohols | CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65 |
| benzyl benzoate | 120-51-4 | fragrance | EU Fragrance Allergens |
| sodium hydroxide | 1310-73-2 | pH adjusting agent | OEHHA RELs |
| 3-Methyl-5-phenyl-n-pentanol | 55066-48-3 90866-30-1 | fragrance | |
| cocoyl hydroxyethylimidazoline | 61791-38-6 | non-functional constituent | |
| trisodium nitrilotriacetate, anhydrous | 5064-31-3 | chelate / sequestrant | |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|-------------------|---------|----------|-----------------|---------------------|------------------------------------|
| methanol | 67-56-1 | | | | 1.0 % |

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|---------|---------|-----------------|
| methanol | 67-56-1 | | TE F3 |

Legend

F3 Flammable - Third Degree
TE Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------|---------|----------------|
| METHANOL | 67-56-1 | E |

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|---------|------------|
| methanol | 67-56-1 | T, F |

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

| Name of substance | Name acc. to inventory | CAS No | Wt% | Remarks | Type of the toxicity |
|---------------------|------------------------|----------|--------|---------|----------------------|
| methanol | methanol | 67-56-1 | 0.14 | | developmental |
| 2,2'-iminodiethanol | diethanolamine | 111-42-2 | 0.0057 | | cancer |

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 4.9 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 4.9 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Category | Rating | Description |
|---------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 3 | major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|------------------|----------------------------------------------------------------------------------|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 3 | material that, under emergency conditions, can cause serious or permanent injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| CA | DSL | all ingredients are listed |
| US | TSCA | all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 1.3 | Details of the supplier of the safety data sheet: Detail King 947-A-Old Frankstown Rd. Pittsburgh, PA 15239 1-888-314-0847 nvacco@detailking.com | Details of the supplier of the safety data sheet: Detail King 947-A Old Frankstown Rd Pittsburgh, PA 15239 nvacco@detailking.com 888-314-0847 | yes |
| 2.2 | - Hazardous ingredients for labelling: Alcohols, C9-11 ethoxylated, N,N-Diethoxylated-N-coco-N-methylammonium chloride, sodium metasilicate, anhydrous | - Hazardous ingredients for labelling: Alcohols, C9-11 ethoxylated, N,N-Diethoxylated-N-coco-N-methylammonium chloride, sodium metasilicate, anhydrous, disodium cocoamphodipropionate | yes |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 6.2 | Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority. | Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. | yes |
| 7.2 | - Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. | | yes |
| 13.1 | Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself. | Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself. | yes |
| 14.1 | UN number | UN number: not subject to transport regulations | yes |
| 14.1 | DOT: UN 3082 | | yes |
| 14.1 | IMDG-Code: UN 3082 | | yes |
| 14.1 | ICAO-TI: UN 3082 | | yes |
| 14.2 | DOT: Environmentally hazardous substance, liquid, n.o.s. | | yes |
| 14.2 | IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | | yes |
| 14.2 | ICAO-TI: Environmentally hazardous substance, liquid, n.o.s. | | yes |
| 14.3 | DOT: 9 | | yes |
| 14.3 | IMDG-Code: 9 | | yes |
| 14.3 | ICAO-TI: 9 | | yes |
| 14.4 | DOT: III | | yes |
| 14.4 | IMDG-Code: III | | yes |
| 14.4 | ICAO-TI: III | | yes |
| 14.7 | Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III | | yes |
| 14.7 | Reportable quantity (RQ): 1,766,348 lbs (801,922 kg) (methanol) (sodium hydroxide) | | yes |
| 14.7 | Danger label(s): 9, fish and tree | | yes |
| 14.7 | | Danger label(s): change in the listing (table) | yes |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 14.7 | Environmental hazards: yes (hazardous to the aquatic environment) | | yes |
| 14.7 | Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29 | | yes |
| 14.7 | ERG No: 171 | | yes |
| 14.7 | Marine pollutant: yes (hazardous to the aquatic environment) (N,N-Diethoxylated-N-coco-N-methylammonium chloride) | | yes |
| 14.7 | Danger label(s): 9, fish and tree | | yes |
| 14.7 | | Danger label(s): change in the listing (table) | yes |
| 14.7 | Special provisions (SP): 274, 335, 969 | | yes |
| 14.7 | Excepted quantities (EQ): E1 | | yes |
| 14.7 | Limited quantities (LQ): 5 L | | yes |
| 14.7 | EmS: F-A, S-F | | yes |
| 14.7 | Stowage category: A | | yes |
| 14.7 | Environmental hazards: yes (hazardous to the aquatic environment) | | yes |
| 14.7 | Danger label(s): 9, fish and tree | | yes |
| 14.7 | | Danger label(s): change in the listing (table) | yes |
| 14.7 | Special provisions (SP): A97, A158, A197 | | yes |
| 14.7 | Excepted quantities (EQ): E1 | | yes |
| 14.7 | Limited quantities (LQ): 30 kg | | yes |
| 14.2 | UN proper shipping name | UN proper shipping name: not relevant | yes |
| 14.3 | Transport hazard class(es) | Transport hazard class(es): not assigned | yes |
| 14.4 | Packing group | Packing group: not assigned | yes |
| 14.5 | Environmental hazards: hazardous to the aquatic environment | Environmental hazards: non-environmentally hazardous acc. to the dangerous goods regulations | yes |
| 14.7 | Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not regulated under DOT until packaged in single containers larger than 119 gallons each - liquid, or 882 lbs each - solid. | Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not subject to transport regulations. | yes |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|
| 14.7 | International Maritime Dangerous Goods Code (IMDG) - Additional information | International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG. | yes |
| 14.7 | International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information: Not subject to ICAO-IATA. | yes |
| 15.1 | | Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table) | yes |
| 16 | | Abbreviations and acronyms: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® | American Conference of Governmental Industrial Hygienists |
| ACGIH® 2019 | From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| Cal ARB | California Air Resources Board |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DEP CODE | Department of Environmental Protection Code |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EPA | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| HHS | Higher hazard substance |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Abbr. | Descriptions of used abbreviations |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LHS | Lower hazard substance |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NFPA® | National Fire Protection Association (United States) |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapor. |
| H227 | Combustible liquid. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Detail King Magic Cleaner

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Revision: 2021-10-26

| Code | Text |
|------|------------------------------------------|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H370 | Causes damage to organs. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.